

according to Regulation (EC) No. 1907/2006

Revision Date 08.06.2017

Version 1.3

l Product identifier	
Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis
REACH Registration Number	A registration number is not available for this substance as the
	substance or its use are exempted from registration according to
	Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage
	does not require a registration or the registration is envisaged for a
	later registration deadline.
CAS-No.	5341-61-7
.2 Relevant identified uses of th	ne substance or mixture and uses advised against
Identified uses	Chemical for synthesis
	For additional information on uses please refer to the Merck Chemicals
	portal (www.merckgroup.com).
.3 Details of the supplier of the	safety data sheet
.3 Details of the supplier of the Company	safety data sheet Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
	-
	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

Acute toxicity, Category 3, Oral, H301 Acute toxicity, Category 3, Inhalation, H331 Acute toxicity, Category 3, Dermal, H311 Skin sensitisation, Category 1, H317 Carcinogenicity, Category 1B, H350 Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements

H350 May cause cancer.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.


according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as "... compounds" or "... salts". In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

Restricted to professional users.

Reduced labelling (≤125 ml)





Signal word Danger

Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled. H317 May cause an allergic skin reaction. H350 May cause cancer.

Precautionary statements

P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Index-No. 007-014-00-6

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

 Formula
 N2H4 * 2 HCl
 H6Cl2N2 (Hill)

 Index-No.
 007-014-00-6

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

a		
Catalogue No.	843	816
Product name	Hyd	razinium dichloride for synthesis
EC-No.	226-28	33-2
Molar mass	104,97	' g/mol
Hazardous co	mponents (REGULATION	N (EC) No 1272/2008)
Chemical nan	ne (Concentration)	
CAS-No.	Registration number	Classification
hydrazine dih	ydrochloride <i>(<= 100 %)</i>	
5341-61-7	*)	
		Acute toxicity, Category 3, H301
		Acute toxicity, Category 3, H331
		Acute toxicity, Category 3, H311
		Skin sensitisation, Category 1, H317
		Carcinogenicity, Category 1B, H350
		Acute aquatic toxicity, Category 1, H400
		Chronic aquatic toxicity, Category 1, H410

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Allergic reactions, Diarrhoea, Nausea, Vomiting, Convulsions, CNS disorders

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible. Ambient fire may liberate hazardous vapours. In the event of decomposition: danger of explosion! Fire may cause evolution of: nitrogen oxides, Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Nitrile rubber
0,11 mm
> 480 min

splash contact:

Glove material:

Nitrile rubber

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816	
Product name	Hydraziniur	n dichloride for synthesis
		0,11 mm > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	light yellow
Odour	odourless

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis
Odour Threshold	Not applicable
рН	0,5
	at 50 g/l
	20 °C
Melting point	ca. 198 °C
	(decomposition)
Boiling point/boiling range	decomposition below boiling point
Flash point	Not applicable
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	1,42 g/cm3
	at 20 °C
Relative density	No information available.
Water solubility	2.700 g/l
	at 20 °C

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis
Partition coefficient: n-	log Pow: -4,37
octanol/water	(calculated)
	Bioaccumulation is not expected. (Lit.)
Auto-ignition temperature	No information available.
Decomposition temperature	above melting point
Viscosity, dynamic	No information available.
viscosity, dynamic	
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	
Bulk density	ca.770 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

metallic oxides, mercury compounds

Exothermic reaction with:

Oxidizing agents, Bases

10.4 Conditions to avoid

Strong heating.

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 129 mg/kg

(calculated on the free base) (RTECS)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Nausea, Vomiting, Diarrhoea

absorption

Acute inhalation toxicity LC50 Rat: 0,75 mg/l; 4 h ; dust/mist (calculated on the free base) (External MSDS)

Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed. absorption

Acute dermal toxicity

absorption

Skin irritation

slight irritation

according to Regulation (EC) No. 1907/2006

Catalogue No.	843816
Product name	Hydrazinium dichloride for synthesis
Eye irritation	
slight irritation	

Sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Genotoxicity in vitro Ames test Result: positive

(Lit.)

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

CMR effects Carcinogenicity:

May cause cancer.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

Property which must be anticipated on the basis of structure- effect considerations: After absorption: Systemic effects:

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

Convulsions, Shortness of breath, Cardiac irregularities, CNS disorders, Symptoms may be delayed. Damage to: Kidney, Liver

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish LC50 Lepomis macrochirus (Bluegill sunfish): 0,43 mg/l; 96 h (External MSDS) Toxicity to daphnia and other aquatic invertebrates EC5 E.sulcatum: 0,93 mg/l; 72 h (calculated on the free base) (IUCLID) EC50 Daphnia magna (Water flea): 0,81 mg/l; 24 h (External MSDS) Toxicity to algae IC50 chlorella pyrenoidosa: ca. 10 mg/l; 48 h (calculated on the free base) (Lit.) IC50 Pseudokirchneriella subcapitata (green algae): 0,02 mg/l; 6 d (calculated on the free base) (Lit.)

Toxicity to bacteria EC50 Photobacterium phosphoreum: 0,01 mg/l; 15 min (calculated on the free base) (Lit.)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: -4,37 (calculated)

Bioaccumulation is not expected. (Lit.)

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information Biological effects: Forms toxic and corrosive mixtures with water even if diluted. Risk of formation of explosive vapours above water surface. Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)	
14.1 UN number	UN 3288
14.2 Proper shipping name	TOXIC SOLID, INORGANIC, N.O.S. (HYDRAZINIUMDICHLORIDE)
14.3 Class	6.1
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
Tunnel restriction code	E
Inland waterway transport (ADN) Not relevant	
Air transport (IATA)	

according to Regulation (EC) No. 1907/2006

atalogue No.	843816
roduct name	Hydrazinium dichloride for synthesis
14.1 UN number	UN 3288
14.2 Proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
	(HYDRAZINIUMDICHLORIDE)
14.3 Class	6.1
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	no
user	
Sea transport (IMDG)	
14.1 UN number	UN 3288
14.2 Proper shipping name	TOXIC SOLID, INORGANIC, N.O.S.
	(HYDRAZINIUMDICHLORIDE)
14.3 Class	6.1
14.4 Packing group	III
14.5 Environmentally hazardous	yes
14.6 Special precautions for	yes
user	
EmS	F-A S-A

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	ACUTE TOXIC
	H2
	Quantity 1: 50 t
	Quantity 2: 200 t

according to Regulation (EC) No. 1907/2006

alogue No.	843816	
duct name	Hydrazinium dich	lloride for synthesis
	SEVESO III	
	ENVIRONMENTAL H	AZARDS
	E1	
	Quantity 1: 100 t	
	Quantity 2: 200 t	
Occupational restrictions	Take note of Dir 94/3	3/EC on the protection of young people at
	work. Observe work r	estrictions regarding maternity protection in
	accordance to Dir 92/	85/EEC or stricter national regulations where
	applicable.	
Regulation (EC) No 1005/20	009 on substances that	not regulated
deplete the ozone layer		
Regulation (EC) No 850/200	04 of the European	not regulated
Parliament and of the Coun		5
persistent organic pollutants		
Directive 79/117/EEC	J	
Substances of very high concern (SVHC)		This product does not contain substances
		of very high concern according to
		Regulation (EC) No 1907/2006 (REACH),
		Article 57 above the respective regulatory
		concentration limit of \geq 0.1 % (w/w).
National legislation		

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

843816

Hydrazinium dichloride for synthesis

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word Danger

Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements Prevention P201 Obtain special instructions before use. P273 Avoid release to the environment.

according to Regulation (EC) No. 1907/2006

Catalogue No.843816Product nameHydrazinium dichloride for synthesis

P280 Wear protective gloves.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Further information

Restricted to professional users.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.