

according to Regulation (EC) No. 1907/2006

Revision Date 14.08.2018

Version 2.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	845097	
Product name	N-Dodecane Msynth®plus	
REACH Registration Number	01-2119486573-28-XXXX	
CAS-No.	112-40-3	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Pharmaceutical production, Reagent for analysis	
	For additional information on uses please refer to the Merck Chemicals	
	portal (www.merckgroup.com).	
1.3 Details of the supplier of th	e safety data sheet	
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Aspiration hazard, Category 1, H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No.

845097

Product name

N-Dodecane Msynth®plus

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements H304 May be fatal if swallowed and enters airways.

Precautionary statements Response P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting.

CAS-No. 112-40-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

 Formula
 CH₃(CH₂)₁₀CH₃
 C₁₂H₂₆ (Hill)

 EC-No.
 203-967-9

 Molar mass
 170,34 g/mol

according to Regulation (EC) No. 1907/2006

845097	
N-Dodecane Msynth®plus	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration) CAS-No. Registration number Classification

n-dodecane (<= 100 %)

112-40-3 01-2119486573-28-XXXX Aspiration hazard, Category 1, H304

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Call a physician immediately. Pulmonary failure possible after aspiration of vomit.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, Dizziness, Headache It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis.

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures 5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006

Catalogue No. 845097 Product name N-Dodecane Msynth®plus

Suitable extinguishing media Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

845097 N-Dodecane Msynth®plus

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No. 845097 Product name N-Dodecane Msynth®plus

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm
Break through time:	> 480 min
Glove material:	Nitrile rubber

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 730 Camatril® -Velours (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

845097

N-Dodecane Msynth®plus

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	benzine-like
Odour Threshold	No information available.
рН	No information available.
Melting point	-9,6 °C
Boiling point/boiling range	216,3 °C at 1.013 hPa
Flash point	84 °C Method: EN 2719
	85,5 °C Method: EN 2719
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	0,6 %(V)

according to Regulation (EC) No. 1907/2006

Catalogue No.	845097		
Product name	N-Dodecane Msynth®plus		
Upper explosion limit	No information available.		
Vapour pressure	0,4 hPa		
	at 20 °C		
	1,3 hPa at 48 °C		
Relative vapour density	5,86		
– <i>– –</i>			
Density	0,75 g/cm3		
	at 20 °C		
Relative density	No information available.		
Water solubility	at 25 °C		
	practically insoluble		
Partition coefficient: n-	log Pow: 6,10		
octanol/water	(experimental)		
	(Lit.) Potential bioaccumulation		
Auto-ignition temperature	No information available.		
Decomposition temperature	No information available.		
Viscosity, dynamic	No information available.		
Explosive properties	Not classified as explosive.		
t i a bisharmaa	···· ··· · · · · · · · · · · · · · · ·		
Oxidizing properties	none		
9.2 Other data			
Ignition temperature	200 °C		

Catalogue No.	845097
Product name	N-Dodecane Msynth®plus
Viscosity, kinematic	< 7 mm2/s
	at 40 °C
SECTION 10. Stability and rea 10.1 Reactivity	ctivity
Forms explosive mixtures v	vith air on intense heating.
A range from approx. 15 Ke	elvin below the flash point is to be rated as critical.
10.2 Chemical stability The product is chemically s	table under standard ambient conditions (room temperature) .
10.3 Possibility of hazardou	s reactions
Violent reactions possible w	/ith:
Oxidizing agents	
10.4 Conditions to avoid	
Strong heating.	
10.5 Incompatible materials	
various plastics	
10.6 Hazardous decomposit no information available	ion products
SECTION 11. Toxicological inf 11.1 Information on toxicolo	
Acute oral toxicity	
This information is not avail	able.
Acute inhalation toxicity	
Symptoms: Possible damag	ges:, slight mucosal irritations, Cough
Acute dermal toxicity	
This information is not avail	

according to Regulation (EC) No. 1907/2006

Catalogue No.845097Product nameN-Dodecane Msynth®plus

Skin irritation Rabbit Result: slight irritation

(RTECS) Repeated exposure may cause skin dryness or cracking.

Eye irritation

Possible damages: slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard Aspiration may cause pulmonary oedema and pneumonitis.

11.2 Further information

Systemic effects: Headache, Dizziness, Unconsciousness

according to Regulation (EC) No. 1907/2006

Catalogue No. 845097 Product name N-Dodecane Msynth®plus

It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water log Pow: 6,10 (experimental)

(Lit.) Potential bioaccumulation

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No.845097Product nameN-Dodecane Msynth®plus

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

TION 14. Transport info	ormation	
Land transport (ADR/RI))	
14.1 - 14.6	Not classified as dangerous in the meaning of transport	
	regulations.	
Inland waterway transpo	rt (ADN)	
Not relevant		
Air transport (IATA)		
14.1 - 14.6	Not classified as dangerous in the meaning of transport	
	regulations.	
Sea transport (IMDG)		
14.1 - 14.6	Not classified as dangerous in the meaning of transport	
	regulations.	
14.7 Transport in bulk ad	ccording to Annex II of MARPOL 73/78 and the IBC Code	
Not relevant		

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.

_

according to Regulation (EC) No. 1907/2006

Catalogue No.	845097		
Product name	N-Dodecane Msy	N-Dodecane Msynth®plus	
Regulation (EC) No 1005/20	009 on substances that	not regulated	
deplete the ozone layer			
Regulation (EC) No 850/200	04 of the European	not regulated	
Parliament and of the Council of 29 April 2004 on			
persistent organic pollutants	and amending		
Directive 79/117/EEC			
Substances of very high cor	ncern (SVHC)	This product does not contain substances	
		of very high concern according to	
		Regulation (EC) No 1907/2006 (REACH),	
		Article 57 above the respective regulatory	
		concentration limit of \geq 0.1 % (w/w).	
National legislation			
Storage class	10 - 13		

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H304 May be fatal if swallowed and enters airways.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

according to Regulation (EC) No. 1907/2006

Catalogue No. 845097 Product name N-Dodecane Msynth®plus

Danger

Hazard statements H227 Combustible liquid. H304 May be fatal if swallowed and enters airways.

Precautionary statements Response P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.