

Creation Date 20-May-2010

Revision Date 31-Dec-2020

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| 1.1. Product identifier | |
|---|--|
| Product Description: Cat No. : | <u>Acetic acid, 1M, (1N approx.6%), ready to use</u> J/0550/17 |
| 1.2. Relevant identified uses of the | substance or mixture and uses advised against |
| Recommended Use Uses advised against | Laboratory chemicals. No Information available |
| 1.3. Details of the supplier of the sa | fety data sheet |
| Company | UK entity/business name . Fisher Scientific UK . Bishop Meadow Road, Loughborough, . Leicestershire LE11 5RG, United Kingdom . EU entity/business name . Acros Organics BVBA . Janssen Pharmaceuticalaan 3a . 2440 Geel, Belgium . |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | Tel: 01509 231166 Chemtrec US: (800) 424-9300 Chemtrec EU: 001 (202) 483-7616 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

<u>Health hazards</u> Based on available data, the classification criteria

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements None required

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Component | CAS-No | EC-No. | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|-------------|-----------|-----------|----------|--|
| Acetic acid | 64-19-7 | 200-580-7 | 6 | Flam. Liq. 3 (H226) Skin Corr. 1A (H314) Eye Dam. 1 (H318) |
| Water | 7732-18-5 | 231-791-2 | 94 | - |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------|--|----------|-----------------|
| Acetic acid | Eye Irrit. 2 :: 10%<=C<25% Skin Corr. 1A :: C>=90% | - | - |
| | Skin Corr. 1B :: 25%<=C<90% Skin Irrit. 2 :: 10%<=C<25% | | |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|----------------|---|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur. |
| Inhalation | Remove to fresh air. Get medical attention immediately if symptoms occur. |

Acetic acid, 1M, (1N approx.6%), ready to use

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Acetic acid, 1M, (1N approx.6%), ready to use

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) Class 12 (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Third edition. Published 2018. **IRE -** 2018 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------|----------------------------|-----------------------------------|-----------------------------------|
| Acetic acid | STEL: 37 mg/m ³ | TWA: 25 mg/m ³ (15min) | TWA: 10 ppm 8 hr. |
| | STEL: 15 ppm | TWA: 10 ppm (15min) | TWA: 25 mg/m ³ 8 hr. |
| | TWA: 10 ppm | STEL: 50 mg/m ³ (8h) | STEL: 20 ppm 15 min |
| | TWA: 25 mg/m ³ | STEL: 20 ppm (8h) | STEL: 50 mg/m ³ 15 min |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) No information available

| Route of exposure | Acute effects (local) | Acute effects (systemic) | Chronic effects (local) | Chronic effects (systemic) |
|-------------------|-----------------------|-----------------------------|----------------------------|-------------------------------|
| Oral | | | | |
| Dermal | | | | |
| Inhalation | | | | |

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

| Personal protective equ Eye Protection | • | (European standard | I - EN 166) | |
|---|---|----------------------|-----------------------|---|
| Hand Protection | Protectiv | ve gloves | | |
| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |
| Skin and body prote | Skin and body protection Long sleeved clothing | | | |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | No protective equipment is needed under normal use conditions. |
|-------------------------------|---|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particle filter 2 |
| Small scale/Laboratory use | Maintain adequate ventilation |

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| Physical State | Liquid | |
|--|--|-----------------------------------|
| Appearance Odor Odor Threshold Melting Point/Range Softening Point Boiling Point/Range Flammability (liquid) Flammability (solid,gas) Explosion Limits | Colorless No information available No data available No data available No data available No information available No data available Not applicable No data available | Liquid |
| Flash Point Autoignition Temperature Decomposition Temperature pH Viscosity Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate Component Acetic acid Vapor Pressure Density / Specific Gravity | No information available No data available No data available No information available No data available Soluble No information available er) Iog Pow -0.2 No data available No data available | Method - No information available |

Acetic acid, 1M, (1N approx.6%), ready to use

Bulk Density Vapor Density Particle characteristics Not applicable No data available Not applicable (liquid) Liquid (Air = 1.0)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | None known, based on information available |
|---|---|
| 10.2. Chemical stability | Stable under normal conditions. |
| 10.3. Possibility of hazardous reaction | ions |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Incompatible products. Excess heat. |
| 10.5. Incompatible materials | Strong bases. Alcohols. Amines. Halogens. Metals. |

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------|------------------|-------------|--------------------|
| Acetic acid | 3310 mg/kg (Rat) | - | > 40 mg/L (Rat)4 h |
| Water | - | - | - |

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization; Respiratory No data available Skin No data available

SAFETY DATA SHEET Acetic acid, 1M, (1N approx.6%), ready to use

| (e) germ cell mutagenicity; | No data available |
|--|---|
| (f) carcinogenicity; | No data available There are no known carcinogenic chemicals in this product |
| (g) reproductive toxicity; | No data available |
| (h) STOT-single exposure; | No data available |
| (i) STOT-repeated exposure; Target Organs | No data available No information available. |
| (j) aspiration hazard; | Based on available data, the classification criteria are not met |
| Symptoms / effects,both acute and delayed | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------|--|--------------------|------------------|
| Acetic acid | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | - |

| Component | Microtox | M-Factor |
|-------------|---|----------|
| Acetic acid | Photobacterium phosphoreum: EC50 = 8.8 | |
| | mg/L/15 min | |
| | Photobacterium phosphoreum: EC50 = 8.8 | |
| | mg/L/25 min | |
| | Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 | |
| | min | |

12.2. Persistence and degradability

Miscible with water, Persistence is unlikely, based on information available, Soluble in water.

12.3. Bioaccumulative potential

Persistence

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-------------|---------|-------------------------------|
| Acetic acid | -0.2 | No data available |

| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils |
|---|--|
| 12.5. Results of PBT and vPvB assessment | No data available for assessment. |
| 12.6. Endocrine disrupting properties Endocrine Disruptor Information | This product does not contain any known or suspected endocrine disruptors |
| <u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential | This product does not contain any known or suspected substance This product does not contain any known or suspected substance |

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

| Waste from Residues/Unused Products | Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|---|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH and harm aquatic organisms. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

ADR 14.1. UN number 14.2. UN proper shir

14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

IATA

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed, Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), China (IECSC), Japan (ENCS), Australia (AICS), Korea (ECL).

| Component | EINECS | ELINCS | NLP | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | AICS | KECL |
|-------------|-----------|--------|-----|------|-----|------|-------|------|-------|------|---------|
| Acetic acid | 200-580-7 | - | | Х | Х | - | Х | Х | Х | Х | Х |
| Water | 231-791-2 | - | | Х | Х | - | Х | Х | Х | Х | KE-3540 |
| | | | | | | | | | | | 0 |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

National Regulations

WGK Classification

Water endangering class = 1 (self classification)

| Component | Germany - Water Classification (VwVwS) | Germany - TA-Luft Class |
|-------------|--|--|
| Acetic acid | WGK1 | Class II : 0.10 g/m ³ (Massenkonzentration) |

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

Legend

| CAS - Chemical Abstracts Service | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory |
|---|--|
| EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances | Substances List |
| PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals |
| WEL - Workplace Exposure Limit | TWA - Time Weighted Average |
| ACGIH - American Conference of Governmental Industrial Hygienists | IARC - International Agency for Research on Cancer |
| DNEL - Derived No Effect Level | Predicted No Effect Concentration (PNEC) |
| RPE - Respiratory Protective Equipment | LD50 - Lethal Dose 50% |
| LC50 - Lethal Concentration 50% | EC50 - Effective Concentration 50% |

SAFETY DATA SHEET Acetic acid, 1M, (1N approx.6%), ready to use

| Revision Date | 31-Dec-2020 |
|----------------------|-------------|
|----------------------|-------------|

| NOEC - No Observed Effect Concentra | | POW - Partition coefficient Octanol:Water | | |
|--|----------------------------------|---|--|--|
| PBT - Persistent, Bioaccumulative, Toxic | | vPvB - very Persistent, very Bioaccumulative | | |
| ADR - European Agreement Concernin | ng the International Carriage of | ICAO/IATA - International Civil Aviation Organization/International Air | | |
| Dangerous Goods by Road | | Transport Association | | |
| IMO/IMDG - International Maritime Org Dangerous Goods Code | anization/International Maritime | MARPOL - International Convention for the Prevention of Pollution from Ships | | |
| OECD - Organisation for Economic Co | -operation and Development | ATE - Acute Toxicity Estimate | | |
| BCF - Bioconcentration factor | | VOC (volatile organic compound) | | |
| Key literature references and so | urces for data | | | |
| https://echa.europa.eu/information | | | | |
| Suppliers safety data sheet, Chem | | RTECS | | |
| | | | | |
| Classification and procedure us | ed to derive the classification | on for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
| Physical hazards | On basis of test data | | | |
| Health Hazards | Calculation method | | | |
| Environmental hazards | Calculation method | | | |
| | Calculation method | | | |
| Training Advice | | | | |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

| Creation Date | 20-May-2010 |
|------------------|-----------------------|
| Revision Date | 31-Dec-2020 |
| Revision Summary | Update to CLP Format. |

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet