

# SAFETY DATA SHEET

Revision Date 26-Jan-2018

Revision	Number	3
----------	--------	---

	1. Identification
Product Name	N-Methylpiperidine
Cat No. :	AC127480000; AC127480010; AC127480100; AC127482500
CAS-No Synonyms	626-67-5 1-Methylpiperidine
Recommended Use Uses advised against Details of the supplier of the	Laboratory chemicals. Food, drug, pesticide or biocidal product use. <b>safety data sheet</b>
<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Acros Organics One Reagent Lane Fair Lawn, NJ 07410
Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887	
	2. Hazard(s) identification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 2
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

### Label Elements

### Signal Word Danger

I

#### Hazard Statements

Highly flammable liquid and vapor

Causes severe skin burns and eye damage May cause respiratory irritation Harmful if swallowed, in contact with skin or if inhaled



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1-Methylpiperidine	626-67-5	99

### 4. First-aid measures

Eye Contact

Immediate medical attention is required. Rinse immediately with plenty of water, also under

	the eyelids, for at least 15 minutes.	
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required.	
Inhalation	Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. If possible drink milk afterwards.	
Most important symptoms and effects	Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	
Notes to Physician	Treat symptomatically	
5. Fire-fighting measures		

### 5. The nyming measure

Suitable Extinguishing Media	Carbon dioxide (CO $_2$ ). Foam. Water mist may be used to cool closed containers. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	No information available
Flash Point	3 °C / 37.4 °F
Method -	No information available
Autoignition Temperature	205 °C / 401 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	11.50% .90% It No information available No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Vapors may form explosive mixtures with air. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 3	Flammability 3	<b>Instability</b> 0	Physical hazards N/A
	6. Accidental re	lease measures	
Personal PrecautionsRemove all sources of ignition. Take precautionary measures against static dischargesEnvironmental PrecautionsSee Section 12 for additional Ecological Information.		res against static discharges.	
Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, Up sawdust). Prevent product from entering drains. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof			

	equipment. Do not flush into surface water or sanitary sewer system.
	7. Handling and storage
Handling	Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.
Storage	Keep in a dry, cool and well-ventilated place. Refer product specification and/or product label for specific storage temperature requirement. Keep container tightly closed. Keep away from heat, sparks and flame. Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.
8. E	Exposure controls / personal protection
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.
Engineering Measures	Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physic	al and chemical properties	
Physical State	Liquid	
Appearance	Colorless	
Odor	Rotten-egg like	
Odor Threshold	No information available	
рН	12-13	
Melting Point/Range	-50 °C / -58 °F	
Boiling Point/Range	105 - 108 °C / 221 - 226.4 °F	
Flash Point	3 °C / 37.4 °F	
Evaporation Rate	No information available	
Flammability (solid,gas)	Not applicable	
Flammability or explosive limits		
Upper	11.50%	
Lower	.90%	
Vapor Pressure	No information available	
Vapor Density	No information available	
Specific Gravity	0.820	
Solubility	No information available	
Partition coefficient; n-octanol/water	No data available	

Autoignition Temperature
<b>Decomposition Temperature</b>
Viscosity
Molecular Formula
Molecular Weight

205 °C / 401 °F No information available No information available C6 H13 N 99.18

The table below indicates whether each agency has listed any ingredient as a carcinogen.

10. Stability and reactivity		
Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions.	
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.	
Incompatible Materials	Acids, Bases, Acid anhydrides, Acid chlorides, Carbon dioxide (CO2)	
Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization	No information available.	
Hazardous Reactions	None under normal processing.	
11. Toxicological information		

Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products	No information available	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Irritation	No information available	

Sensitization	No information available
ochishization	

Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
1-Methylpiperidine	626-67-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information ava	ailable				
Reproductive Effects		No information available.					
Developmental Effe	cts	No information available.					
Teratogenicity No information available.							
STOT - single expos STOT - repeated ex		Respiratory system None known					
Aspiration hazard		No information available					
Symptoms / effects delayed	both acute and	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation					
Endocrine Disrupto	r Information	No information available					

#### **Other Adverse Effects**

The toxicological properties have not been fully investigated.

## 12. Ecological information

Ecotoxicity

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1-Methylpiperidine	Not listed	LC50: 46.4 - 100 mg/L, 96h static (Danio rerio)	Not listed	Not listed
Persistence and Degradat	bility Miscible with	water Persistence is unlike	ely based on information a	available.
Bioaccumulation/ Accumu	Ilation No information	on available.		
Mobility	Will likely be	mobile in the environment	due to its water solubility.	
	13. Di	sposal considera	ations	
Waste Disposal Methods	hazardous w	aste generators must deterr aste. Chemical waste gen ardous waste regulations to	erators must also consult	local, regional, and
	14. 7	ransport informa	ation	
DOT				
UN-No	UN2399			
Proper Shipping Name		IPERIDINE		
Hazard Class	3			
Subsidiary Hazard Cla				
Packing Group	II			
TDG				
UN-No	UN2399			
Proper Shipping Name		IPERIDINE		
Hazard Class	3			
Subsidiary Hazard Cla				
Packing Group	II			
ATA	11012200			
UN-No Dropor Shipping Nome	UN2399			
Proper Shipping Name Hazard Class		IPERIDINE		
	3			
Subsidiary Hazard Cla				
Packing Group IMDG/IMO	II			
UN-No	UN2399			
	0112399			

UN-No	UN2399
Proper Shipping Name	1-METHYLPIPERIDINE
Hazard Class	3
Subsidiary Hazard Class	8
Packing Group	II

15. Regulatory information

### United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
1-Methylpiperidine	626-67-5	Х	ACTIVE	-

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

#### TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
1-Methylpiperidine	626-67-5	-	Х	210-959-9	Х	Х	Х	Х	-
U.S. Federal Regulations									
SARA 313	Not app	licable							
SARA 311/312 Hazard Catego	ries See sec	tion 2 for I	more infor	mation					
CWA (Clean Water Act)	Not app	Not applicable							
Clean Air Act	Not app	Not applicable							
<b>OSHA</b> - Occupational Safety an Health Administration									
CERCLA	Not applicable								
California Proposition 65This product does not contain any Proposition 65 chemicals.									

#### U.S. State Right-to-Know Regulations

logulationo					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
1-Methylpiperidine	-	Х	-	-	-

### U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

**Mexico - Grade** 

No information available

	16. Other information
Prepared By	Regulatory Affairs Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Revision Date	26-Jan-2018
Print Date	26-Jan-2018
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text