

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 11.1

SECTION 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier		
Catalogue No.	105044	
Product name	Potassium iodide 99.995 Suprapur®	
REACH Registration Number	01-2119906339-35-XXXX	
CAS-No.	7681-11-0	
1.2 Relevant identified uses of the substance or mixture and uses advised against		
Identified uses Reagent for analysis		
	For additional information on uses please refer to the Merck Chemicals	
	portal (www.merckgroup.com).	
1.3 Details of the supplier of th	e safety data sheet	
Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0	
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com	
1.4 Emergency telephone number	Please contact the regional company representation in your country.	

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated exposure, Category 1, Oral, Thyroid, H372 For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

105044 Potassium iodide 99.995 Suprapur®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word Danger

Hazard statements H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

Precautionary statements Response P314 Get medical advice/ attention if you feel unwell.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word Danger

Hazard statements H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

CAS-No. 7

7681-11-0

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients 3.1 Substance

according to Regulation (EC) No. 1907/2006

Catalogue No.	10	5044		
Product name		Potassium iodide 99.995 Suprapur®		
Formula	KI	IK (Hill)		
EC-No.	231-6	59-4		
Molar mass	166,0	0 g/mol		
Hazardous co	omponents (REGULAT	ION (EC) No 1272/2008)		
Chemical nam	ne (Concentration)			
CAS-No.	Registration number	Classification		
potassium iodi	de (>= 80 % - <= 100 %	%)		
7681-11-0	01-2119906339-35-			
7001-11-0	XXXX	Specific target organ toxicity - repeated exposure, Category 1,		
		H372		

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitisation possible in predisposed persons.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

105044

Potassium iodide 99.995 Suprapur®

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

hydrogen iodide

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

	Glove material:	Nitrile rubber
	Glove thickness:	0,11 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0,11 mm
	Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form	solid
Colour	off-white
Odour	odourless
Odour Threshold	Not applicable
рН	ca. 6,9 at 50 g/l 20 °C
Melting point	685 °C at ca.975 hPa
Boiling point/boiling range	1.325 °C at 1.013 hPa
Flash point	does not flash
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	105044		
Product name	Potassium iodide 99.995 Suprapur®		
Upper explosion limit	No information available.		
Vapour pressure	ca.1 hPa		
vapour pressure	at 745 °C		
Relative vapour density	No information available.		
Density	3,23 g/cm3		
	at 25 °C		
Relative density	No information available.		
Water solubility	ca.1.430 g/l		
	at 20 °C		
Partition coefficient: n-			
octanol/water	Not applicable for inorganic substances		
Auto-ignition temperature	No information available.		
Decomposition temperature	No information available.		
Decemptonion temperature			
Viscosity, dynamic	No information available.		
Explosive properties	Not classified as explosive.		
Oxidizing properties	none		
9.2 Other data			
Bulk density	ca.1.500 kg/m3		

SECTION 10. Stability and reactivity 10.1 Reactivity

See section 10.3

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

105044 Potassium iodide 99.995 Suprapur®

10.2 Chemical stability

Sensitivity to light

10.3 Possibility of hazardous reactions

Risk of explosion with:

Alkali metals, Ammonia, halogen-halogen compounds, hydrogen peroxide, perchloryl fluoride

Exothermic reaction with:

Oxidizing agents

Risk of ignition or formation of inflammable gases or vapours with:

Fluorine

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information 11.1 Information on toxicological effects

Acute oral toxicity LD50 Rat: 2.779 mg/kg

(own results)

Acute inhalation toxicity This information is not available.

Acute dermal toxicity LD50 Rat: > 2.000 mg/kg OECD Test Guideline 402

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

Skin irritation Rabbit Result: No skin irritation OECD Test Guideline 404 *Eye irritation* Rabbit Result: No eye irritation OECD Test Guideline 405

Sensitisation Patch test: human Result: negative

(ECHA)

Germ cell mutagenicity	
Genotoxicity in vitro	
Ames test	
Salmonella typhimurium	
Result: negative	

(Lit.)

Carcinogenicity This information is not available. *Reproductive toxicity* This information is not available. *Teratogenicity* This information is not available. *Specific target organ toxicity - single exposure*

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

Specific target organ toxicity - repeated exposure Causes damage to organs through prolonged or repeated exposure. Exposure routes: Ingestion Target Organs: Thyroid

Aspiration hazard This information is not available.

11.2 Further information

After absorption of toxic quantities:

drop in blood pressure, paralysis symptoms, agitation, Vomiting

The following applies to iodides in general: Sensitisation possible in predisposed persons.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 Danio rerio (zebra fish): > 100 mg/l; 96 h OECD Test Guideline 203

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No.105044Product namePotassium iodide 99.995 Suprapur®

SECTION 13. Disposal considerations

Waste treatment methods See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

TION 14. Transport inform	nation
Land transport (ADR/RID)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
Inland waterway transport	(ADN)
Not relevant	
Air transport (IATA)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
Sea transport (IMDG)	
14.1 - 14.6	Not classified as dangerous in the meaning of transport regulations.
14.7 Transport in bulk acc	ording to Annex II of MARPOL 73/78 and the IBC Code
Not relevant	

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	
Major Accident Hazard	SEVESO III
Legislation	Not applicable
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

according to Regulation (EC) No. 1907/2006

Catalogue No.	105044	
Product name	Potassium iodide	99.995 Suprapur®
Regulation (EC) No 1005/2009 or deplete the ozone layer	n substances that	not regulated
Regulation (EC) No 850/2004 of the Parliament and of the Council of 2 persistent organic pollutants and a Directive 79/117/EEC	29 April 2004 on	not regulated
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).
National legislation Storage class 6.1	D	

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H372	Causes damage to organs through prolonged or repeated
	exposure if swallowed.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No.

Product name

105044 Potassium iodide 99.995 Suprapur®

Labelling Hazard pictograms



Signal word Danger

Hazard statements H372 Causes damage to organs (Thyroid) through prolonged or repeated exposure if swallowed.

Precautionary statements Response P314 Get medical advice/ attention if you feel unwell.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.