

# SAFETY DATA SHEET

Creation Date 21-May-2012

Revision Date 21-Feb-2020

Revision Number 6

1. Identification				
Product Name	Sodium hydroxide, 1N standard solution			
Cat No. : AC124260000; AC124260010; AC124260050; AC124260250				
Synonyms	Caustic soda			
Recommended Use   Laboratory chemicals.     Jses advised against   Food, drug, pesticide or biocidal product use.     Details of the supplier of the safety data sheet   Example of the safety data sheet				
<u>Company</u> Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100	Acros Organics One Reagent Lane Fair Lawn, NJ 07410			

### **Emergency Telephone Number**

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 **CHEMTREC** Tel. No.**US:**001-800-424-9300 / **Europe:**001-703-527-3887

## 2. Hazard(s) identification

### **Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals	Category 1
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 1

### Label Elements

Signal Word Danger

Hazard Statements May be corrosive to metals Causes skin irritation Causes serious eye damage



#### Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Keep only in original container

### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

## Spills

Absorb spillage to prevent material damage

## Storage

Store in corrosive resistant polypropylene container with a resistant inliner

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	96-98
Sodium hydroxide	1310-73-2	2-4

4. First-aid measures			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.		
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.		
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.		
Inhalation	If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately.		
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a physician immediately.		
Most important symptoms and effects Notes to Physician	Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation Treat symptomatically		

## 5. Fire-fighting measures

Suitable Extinguishing Media	Substance is nonflammable; use agent most appropriate to extinguish surrounding fire. CO 2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable Extinguishing Media	Carbon dioxide (CO2)
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impac	t No information available
Sensitivity to Static Discharge	No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

### **Hazardous Combustion Products**

Sodium oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

<u>NFPA</u>	Health 3	<b>Flammability</b> 0	Instability 1	Physical hazards N/A		
	6. Accidental release measures					
Personal	Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.					
Environn	Environmental Precautions Should not be released into the environment.					

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

### 7. Handling and storage

HandlingEnsure adequate ventilation. Do not breathe mist/vapors/spray. Wear personal protective<br/>equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If<br/>swallowed then seek immediate medical assistance.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

### 8. Exposure controls / personal protection

### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
-		TWA: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration

### NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure that eyewash stations and safety showers are close to the workstation location. Use only under a chemical fume hood.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Tight sealing safety goggles. Face protection shield.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical State	Liquid
Appearance	Colorless
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	23 hPa @ 20 °C
Vapor Density	No information available
Specific Gravity	1.040
Solubility	Soluble in water
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Incompatible products. Excess heat.
Incompatible Materials	Acids, Organic materials, Metals, Aluminium, copper
Hazardous Decomposition Products	s Sodium oxides
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

# 11. Toxicological information

Acute Toxicity

Product InformationNo acute toxicity information is available for this productOral LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mgDermal LD50Based on ATE data, the classification criteria are not met. ATE > 2000 mgVapor LC50Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.Component InformationLD50 OralLD50 DermalLC50 I					g/kg.		
Water		-		-		-	
Sodium hydro:	xide	140 - 340 mg/kg (Ra	nt) 1350	) mg/kg (Rabbit)	Nc	Not listed	
Toxicologically Syn Products <u>Delayed and immed</u>	•	No information ava		d long-term expo	sure		
Irritation		Risk of serious dar Irritating to skin					
Sensitization		No information ava	ailable				
Carcinogenicity		The table below in	The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	
Sodium hydroxide	1310-73-2	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects Reproductive Effects		No information available No information available.					
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single exposure STOT - repeated exposure		None known None known					
Aspiration hazard		No information available					
Symptoms / effects,both acute and delayed		Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation					
Endocrine Disrupto	r Information	No information available					
Other Adverse Effects		The toxicological properties have not been fully investigated.					

# 12. Ecological information

### Ecotoxicity

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants. Large amounts will affect pH and harm aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Sodium hydroxide Not listed		LC50: = 45.4 mg/L, 96h static (Oncorhynchus mykiss)	Not listed	Not listed
Persistence and Degrada	ability Soluble in wa	ater Persistence is unlikely	based on information avai	lable.
Bioaccumulation/ Accumulation No information available.				

#### Mobility

. Will likely be mobile in the environment due to its water solubility.

## 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

UN-No UN1824   Proper Shipping Name SODIUM HYDROXIDE SOLUTION   Hazard Class 8   Packing Group III   - TDG   UN-No UN1824   Double in New Operation SODUM HYDROXIDE SOLUTION
Hazard Class 8 Packing Group III _ <u>TDG</u> UN-No UN1824
Packing Group III UN1824
<u>TDG</u> UN-No UN1824
UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group III
<u>IATA</u>
<b>UN-No</b> UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group III
IMDG/IMO
UN-No UN1824
Proper Shipping Name SODIUM HYDROXIDE SOLUTION
Hazard Class 8
Packing Group III
15. Regulatory information

## United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	Х	ACTIVE	-
Sodium hydroxide	1310-73-2	Х	ACTIVE	-

### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

### International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х	Х	Х	KE-35400
Sodium hydroxide	1310-73-2	Х	-	215-185-5	Х	Х	Х	Х	KE-31487

### U.S. Federal Regulations

### SARA 313 Not applicable

### SARA 311/312 Hazard Categories See section 2 for more information

### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Sodium hydroxide	Х	1000 lb	-	-

## Clean Air Act Not applicable

**OSHA** - Occupational Safety and Not applicable Health Administration

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs	
Sodium hydroxide	1000 lb	-	
		· ·	

California Proposition 65This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	Х	-	-
Sodium hydroxide	Х	Х	Х	-	Х

### U.S. Department of Transportation

Reportable Quantity (RQ): DOT Marine Pollutant	Y N
DOT Severe Marine Pollutant	Ν
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

### **Other International Regulations**

Mexico - Grade

Moderate risk, Grade 2

	16. Other information
Prepared By	Regulatory Affairs Richard Allan Scientific A Subsidiary of Thermo Fisher Scientific Tel: (800) 522-7270
Creation Date Revision Date Print Date Revision Summary	21-May-2012 21-Feb-2020 21-Feb-2020 This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**