

SAFETY DATA SHEET

Creation Date 06-Apr-2010 Revision Date 26-Jan-2018 Revision Number 5

1. Identification

Product Name Sulfuric acid, 1N standard solution

Cat No. : AC124240000; AC124240010; AC124240025

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Category 1

Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Causes skin irritation Causes serious eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

Keep only in original container

Response

IF exposed or concerned: Get medical attention/advice

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Spills

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

WARNING. Cancer - https://www.p65warnings.ca.gov/.

3. Composition/Information on Ingredients

| Component | CAS-No | Weight % | |
|---------------|-----------|----------|--|
| Water | 7732-18-5 | 95 - 99 | |
| Sulfuric acid | 7664-93-9 | 1 - 5 | |

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek

immediate medical attention/advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention if

symptoms occur.

Inhalation Remove from exposure, lie down. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. If symptoms persist, call a physician.

Most important symptoms and No information available.

effects

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method -No information available

Autoignition Temperature

Explosion Limits

No information available

No data available Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Sulfur oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

| Health | Flammability | Instability | Physical hazards |
|--------|--------------|-------------|------------------|
| 2 | 1 | 0 | N/A |

6. Accidental release measures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment as required. **Environmental Precautions** Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

| _ | 10.0 | | | | | | |
|-----|------|-----|---|----|--------------------------|------|--------|
| / | | anı | വ | na | ลทศ | ctc | rage |
| / . | 110 | | | | ϵ 11 α 1 | .510 | יו מטב |

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not Handling

get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in the

original container.

8. Exposure controls / personal protection

Exposure Guidelines

| Component ACGIH TLV | | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|---------------------|----------------------------|------------------------------------|----------------------------|----------------------------|
| Sulfuric acid | TWA: 0.2 mg/m ³ | (Vacated) TWA: 1 mg/m ³ | IDLH: 15 mg/m ³ | TWA: 0.2 mg/m ³ |
| | | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Physical and chemical properties

Physical State Liquid Colorless **Appearance**

Odor No information available **Odor Threshold** No information available

pН < 15

Melting Point/Range No data available 100 °C / 212 °F **Boiling Point/Range** Flash Point No information available No information available **Evaporation Rate**

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** 1 mmHg @ 20 °C **Vapor Density** No information available

Specific Gravity 1.01-1.03 miscible Solubility

Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

Viscosity No information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stable under normal conditions. Stability

Conditions to Avoid Incompatible products. Excess heat.

Strong oxidizing agents **Incompatible Materials**

Hazardous Decomposition Products Sulfur oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Corrosive to metals.

11. Toxicological information

Acute Toxicity

Product Information

Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Vapor LC50

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | |
|---------------|------------------|-------------|---|--|
| Water | Water - | | - | |
| Sulfuric acid | 2140 mg/kg (Rat) | Not listed | LC50 85 - 103 mg/m ³ (Rat) 1 h | |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to eyes, respiratory system and skin Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

| | Component | CAS-No | IARC | NTP | ACGIH | OSHA | Mexico |
|---|---------------|-----------|------------|------------|------------|------------|------------|
| | Water | 7732-18-5 | Not listed |
| 1 | Sulfuric acid | 7664-93-9 | Group 1 | Known | A2 | X | A2 |

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

ACGIH: (American Conference of Governmental Industrial

Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

Teratogenicity No information available.

Respiratory system STOT - single exposure STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects,both acute and No information available

delayed

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|---------------|------------------|------------------------------|----------|-------------------|
| Sulfuric acid | - | LC50: > 500 mg/L, 96h static | - | EC50: 29 mg/L/24h |
| | | (Brachydanio rerio) | | |
| | | | | |

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Name Sulfuric acid

Hazard Class 8
Packing Group III

<u>TDG</u>

UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group |||

IMDG/IMO

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

15. Regulatory information

United States of America Inventory

| Component | onent CAS-No | | TSCA Inventory notification - Active/Inactive | TSCA - EPA Regulatory Flags | |
|---------------|--------------|---|--|-----------------------------|--|
| Water | 7732-18-5 | X | ACTIVE | - | |
| Sulfuric acid | 7664-93-9 | X | ACTIVE | - | |

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

| Component | CAS-No | DSL | NDSL | EINECS | PICCS | ENCS | AICS | IECSC | KECL |
|---------------|-----------|-----|------|-----------|-------|------|------|-------|----------|
| Water | 7732-18-5 | X | - | 231-791-2 | X | X | Χ | Χ | KE-35400 |
| Sulfuric acid | 7664-93-9 | X | - | 231-639-5 | Х | X | Χ | Χ | KE-32570 |

U.S. Federal Regulations

SARA 313

| Component | CAS-No | Weight % | SARA 313 - Threshold |
|-----------|--------|----------|----------------------|

| | | | Values % |
|---------------|-----------|-------|----------|
| Sulfuric acid | 7664-93-9 | 1 - 5 | 1.0 |

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

| | Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|---------------|-----------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Sulfuric acid | | X | 1000 lb | - | - |

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs | |
|---------------|--------------------------|----------------|--|
| Sulfuric acid | 1000 lb | 1000 lb | |

California Proposition 65 This product contains the following Proposition 65 chemicals.

| Component | CAS-No | California Prop. 65 | Prop 65 NSRL | Category |
|---------------|-----------|---------------------|--------------|------------|
| Sulfuric acid | 7664-93-9 | Carcinogen | - | Carcinogen |

U.S. State Right-to-Know

Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|---------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Sulfuric acid | X | X | X | X | X |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 06-Apr-2010

 Revision Date
 26-Jan-2018

 Print Date
 26-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS