



Creation Date 03-May-2012

Revision Date 20-Feb-2019

Revision Number 11

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

| Product Description: | Sodium sulfide hydrate |
|---------------------------|---------------------------------|
| Cat No. : | 133720000; 133720010; 133720025 |
| CAS-No | 27610-45-3 |
| Molecular Formula | Na2 S . x H2 O |
| Reach Registration Number | 01-2119513694-38 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended Use | Laboratory chemicals. |
|--------------------------------|---|
| Sector of use | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

| Company | UK entity/business name Fisher Scientific UK Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom |
|---------------------------------|---|
| | EU entity/business name Acros Organics BVBA Janssen Pharmaceuticalaan 3a 2440 Geel, Belgium |
| E-mail address | begel.sdsdesk@thermofisher.com |
| 1.4. Emergency telephone number | For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US: 001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US: 001-800-424-9300 / Europe: 001-703-527-3887 |

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Substances/mixtures corrosive to metal

Health hazards

Sodium sulfide hydrate

Acute oral toxicity Acute dermal toxicity Skin Corrosion/irritation Serious Eye Damage/Eye Irritation

Environmental hazards

Acute aquatic toxicity

2.2. Label elements

Category 4 (H302) Category 3 (H311) Category 1 B (H314) Category 1 (H318)

Category 1 (H400)

Signal Word

Danger

Hazard Statements

- H290 May be corrosive to metals
- H302 Harmful if swallowed
- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H400 Very toxic to aquatic life
- EUH031 Contact with acids liberates toxic gas
- EUH071 Corrosive to the respiratory tract

Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

2.3. Other hazards

Corrosive to respiratory system

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS-No | EC-No. | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|------------------------|------------|--------|----------|---|
| Sodium sulfide hydrate | 27610-45-3 | | >95 | Met. Corr. 1 (H290) Acute Tox. 4 (H302) Acute Tox. 3 (H311) |

Sodium sulfide hydrate

Revision Date 20-Feb-2019

| | | | | Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) EUH031 EUH071 |
|----------------|-----------|-------------------|---|--|
| Sodium sulfide | 1313-82-2 | EEC No. 215-211-5 | - | Met. Corr. 1 (H290) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) EUH031 EUH071 |

Reach Registration Number

01-2119513694-38

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
|------------------------------------|--|
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Ingestion | Do not induce vomiting. Call a physician or Poison Control Center immediately. |
| Inhalation | Move to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| | <i>и</i> |

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Sodium sulfide hydrate

Extinguishing media which must not be used for safety reasons Water, Cool containers / tanks with water spray.

5.2. Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Sulfur oxides, Sulfides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not ingest. Do not breathe vapors/dust. Avoid dust formation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from direct sunlight. Corrosives area. Store under an inert atmosphere. Keep refrigerated.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s):

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

| Route of exposure | Acute effects (local) | Acute effects (systemic) | Chronic effects (local) | Chronic effects (systemic) |
|-------------------|-----------------------|-----------------------------|----------------------------|-------------------------------|
| Oral | | | | |
| Dermal | | | | |
| Inhalation | | | | |

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

| Personal protective equip Eye Protection | | (European standard | l - EN 166) | |
|---|---|----------------------|-----------------------|---|
| Hand Protection | Protectiv | e gloves | | |
| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness - | EU standard EN 374 | Glove comments (minimum requirement) |

Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

| Respiratory Protection | When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly |
|---------------------------------|--|
| Large scale/emergency use | Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143 |
| Small scale/Laboratory use | Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted |
| Environmental exposure controls | Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. |

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Sodium sulfide hydrate

| Appearance Physical State | Yellow Solid | |
|---|--|---|
| Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits | Odorless No data available No information available No data available No data available No information available No information available Not applicable No information available No data available | Method - No information available Solid |
| Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wate Component | • | Solid |
| Sodium sulfide Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties | log Pow 3.5 No data available Not applicable No information available No information available | Solid |
| 9.2. Other information Molecular Formula Molecular Weight | Na2 S . x H2 O 78.04 | |

SECTION 10: STABILITY AND REACTIVITY

| 10.1. Reactivity | Yes |
|---|---|
| 10.2. Chemical stability | Moisture sensitive, Air sensitive, Light sensitive. |
| 10.3. Possibility of hazardous reacti | ons |
| Hazardous Polymerization Hazardous Reactions | Hazardous polymerization does not occur. None under normal processing. |
| 10.4. Conditions to avoid | Avoid dust formation. Incompatible products. Excess heat. Exposure to air. Exposure to light. Exposure to moist air or water. |
| 10.5. Incompatible materials | Strong oxidizing agents. Strong acids. |
| 10.6. Hazardous decomposition pro | <u>ducts</u> Sulfur oxides. Sulfides. |

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Sodium sulfide hydrate

| (a) acute toxicity; | | | | | |
|---|---|------------------------------------|-----------------|--|--|
| Oral | Category 4 | | | | |
| Dermal | Category 3 | | | | |
| Inhalation | | lassification criteria are not met | | | |
| | | | | | |
| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
| Sodium sulfide | LD50 = 208 mg/kg (Rat) | < 340 mg/kg (Rabbit) | | | |
| (b) skin corrosion/irritation; | Category 1 B | | | | |
| (c) serious eye damage/irritation; | Category 1 | | | | |
| (d) respiratory or skin sensitization; Respiratory Skin | ; Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met | | | | |
| (e) germ cell mutagenicity; | Based on available data, the classification criteria are not met | | | | |
| (f) carcinogenicity; | Based on available data, the classification criteria are not met | | | | |
| | There are no known carcinoge | nic chemicals in this product | | | |
| (g) reproductive toxicity; | Based on available data, the c | lassification criteria are not met | | | |
| (h) STOT-single exposure; | Based on available data, the c | lassification criteria are not met | | | |
| | | | | | |

| (i) STOT-repeated exposure; | Based on available data, the classification criteria are not met |
|--|--|
| Target Organs | None known. |
| (j) aspiration hazard; | Not applicable Solid |
| Symptoms / effects,both acute and delayed | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Sodium sulfide hydrate

Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|------------------------|---|------------|------------------|----------------------------|
| Sodium sulfide hydrate | | | | EC50 = 4.29 mg/L 15 |
| | | | | min |
| Sodium sulfide | LC50: 7.7 - 29.1 mg/L, 96h (Poecilia reticulata) | | | EC50 = 4.29 mg/L 15 min |

| 12.2. Persistence and degradability | Expected to be biodegradable |
|---------------------------------------|---|
| Persistence | Soluble in water, Persistence is unlikely, based on information available. |
| Degradability | Not relevant for inorganic substances. |
| Degradation in sewage treatment plant | Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. |

12.3. Bioaccumulative potential

Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Sodium sulfide | 3.5 | No data available |

| <u>12.4. Mobility in soil</u> | The product is water soluble, and may spread in water systems . Will likely be mobile in the environment due to its water solubility. Highly mobile in soils | | |
|---|--|--|--|
| <u>12.5. Results of PBT and vPvB</u> assessment | No data available for assessment. | | |
| <u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant | This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance | | |

This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Ozone Depletion Potential

| Waste from Residues / Unused Products | Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. |
|--|---|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |

Sodium sulfide hydrate

European Waste Catalogue (EWC)

Other Information

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts

will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| SE | CTION 15: REGULATORY INFORMATION |
|--|--|
| 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable, packaged goods |
| 14.6. Special precautions for user | No special precautions required |
| 14.5. Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| IATA_ 14.1. UN number_ 14.2. UN proper shipping name_ 14.3. Transport hazard class(es)_ 14.4. Packing group_ | UN1849 SODIUM SULPHIDE, HYDRATED 8 II |
| ADR 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group | UN1849 SODIUM SULPHIDE, HYDRATED 8 II |
| <u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group | UN1849 SODIUM SULPHIDE, HYDRATED 8 II |

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture_

International Inventories

X = listed.

| Component | EINECS | ELINCS | NLP | TSCA | DSL | NDSL | PICCS | ENCS | IECSC | AICS | KECL |
|------------------------|-----------|--------|-----|------|-----|------|-------|------|-------|------|--------------|
| Sodium sulfide hydrate | - | - | | - | - | - | Х | - | Х | - | - |
| Sodium sulfide | 215-211-5 | - | | Х | Х | - | Х | Х | Х | Х | KE-1237 8 |

National Regulations

| Component | Germany - Water Classification (VwVwS) | Germany - TA-Luft Class |
|----------------|--|-------------------------|
| Sodium sulfide | WGK 2 | |

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H290 - May be corrosive to metals H302 - Harmful if swallowed H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H400 - Very toxic to aquatic life EUH031 - Contact with acids liberates toxic gas EUH071 - Corrosive to the respiratory tract H301 - Toxic if swallowed

Legend

| CAS - Chemical Abstracts Service EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances | TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals |
|---|---|
| WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic | TWA - Time Weighted Average IARC - International Agency for Research on Cancer PNEC - Predicted No Effect Concentration LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative |
| ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road | ICAO/IATA - International Civil Aviation Organization/International Air Transport Association |

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code **OECD** - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical incident response training.

| Creation Date | 03-May-2012 |
|------------------|-----------------|
| Revision Date | 20-Feb-2019 |
| Revision Summary | Not applicable. |

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

Ships

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

MARPOL - International Convention for the Prevention of Pollution from

End of Safety Data Sheet