

according to Regulation (EC) No. 1907/2006

Revision Date 18.02.2019

Version 1.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing

Packaging: 9 ml in 17 ml tube with red cap (20 or 100 tubes

per box) Synonym: Fluid Thioglycollate Medium,

Thioglycollate Broth, FTM

REACH Registration

Number

This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical production

For additional information on uses please refer to the Merck

Chemicals portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49

6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in

your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Page 1 of 9



according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

Chemical nature

Mixture of inorganic and organic compounds

3.1 SubstanceNot applicable

3.2 Mixture

Remarks No disclosure requirement according to Regulation (EC) No.

1907/2006.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin

with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if

feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any symptoms of toxicity.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Mixture with combustible ingredients.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

none



according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of vapours/aerosols or dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

No special precautionary measures necessary.

6.3 Methods and materials for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10). Take up with suitable equipment. Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Protected from light.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Preak through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

Not required; except in case of aerosol formation.

Environmental exposure controls

No special precautionary measures necessary.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form Culture media test tube ready for use

Colour light yellow

opalescent

Odour characteristic

Odour Threshold No information available.

pH ca. 7,1

Melting point No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

Boiling point No information available.

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density No information available.

Relative density No information available.

Water solubility No information available.

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

none

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Dangerous reactions are not expected handling the product according to its intented use.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

No ecological problems are to be expected when the product is handled and used with due care and attention.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

Sea transport (IMDG)



according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

14.1 - 14.6 Not classified as dangerous in the meaning of

transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III Legislation Not applicable

Regulation (EC) No 1005/2009 on substances not regulated

that deplete the ozone layer

Regulation (EC) No 850/2004 of the

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants

and amending Directive 79/117/EEC

Substances of very high concern (SVHC) This product does not contain

substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 %

(w/w).

not regulated

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Page 8 of 9



according to Regulation (EC) No. 1907/2006

Catalogue No. 146220

Product name Thioglycollate Med. acc. EP <u>Application:</u> Sterility testing <u>Packaging:</u>

9 ml in 17 ml tube with red cap (20 or 100 tubes per box)

Synonym: Fluid Thioglycollate Medium, Thioglycollate Broth, FTM

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

